CNCGLASS
CNC Ucolin Interlayer Technology Co., Ltd.
SHENZHEN, GD, CHINA
Peter Lin · cnc@cncglass.com · WhatsApp / Mobile +86 15013829504
WeChat wecan365 · www.cncglass.com

SGP Interlayers as a High-Performance Protective Layer

Protection that is built into the plate

SGP, used correctly, is an ionoplast interlayer laminated between glass plies. It is not a stick-on screen film, and it is not applied with a squeegee to a telephone or a television. The protection it offers is structural: a stiffer bonded plate, fragment retention after breakage, and, in a designed stack, residual load capacity. That is the sense in which we call it a high-performance protective layer.




Figure 1. The protection an SGP interlayer provides is structural: it is laminated between glass plies, not stuck on as a surface film.

What the film actually contributes

After a correct autoclave cycle, the ionoplast ply is clear, strongly adhered, and much stiffer than a conventional PVB of similar thickness. Abrasion of the glass face is still a property of the glass or of any coating, not of a peel-off sheet. The interlayer's contribution is to keep the opening closed and the fragments attached when the glass is cracked, and to help the plate share wind or impact load while it is intact.

Typical uses are architectural facades, railings, overhead glass, floors, and some transport or security laminates, not consumer appliance skins. Selection should follow size, load, optical requirements, and ultraviolet or weather exposure, and it should be made with an engineer, not by choosing a familiar consumer brand. Users who have adopted SGP in structural glass generally report that the value is residual integrity and long optical life, not a reduction in routine surface cleaning.

An SGP interlayer protects by becoming part of a laminated plate, not by sitting on a surface. Specify it for stiffness, fragment retention, and weathered clarity in structural and high-safety glass, and the 'protective layer' description is accurate.

Contact Us

Brand: CNCGLASS

Company: CNC Ucolin Interlayer Technology Co., Ltd.
Address: SHENZHEN, GD, CHINA
Contact: Peter Lin
Email: cnc@cncglass.com
WhatsApp / Mobile: +86 15013829504
WeChat: wecan365
Website: www.cncglass.com

We can advise on ionoplast (SGP) interlayers for structural and high-safety laminated glass, including thickness and process questions.